Dear Examiner Krishnan:

Anached are two substitute pages for claims 68 and 69 which my clever secretary has provided. If these are not satisfactory for the printer, please let me know.

Cordially,

I. William Millen

Attachment

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being factionale transmitted to the Commissioner of Patents, P.O. Bux 1450, Alexandria, VA 22313-14

Signature

Dane:

information contained in this factimile may contain privileged and confidential information and is intended solely for the use of the addressee listed above. If you are notiner the intended recipient nor the employee or agent responsible for delivering this communication to the intended recipient, you are hereby notified that any disclusive, copying or distribution of, or the taking of any action in reliance on the contents of this communication is strictly prohibited. If you have received this communication in error minediately notify us by telephone on (703) 243-6333 to arrange for return of the original document to us at our cost. Think

- 66. (Previously Presented) A crosslinked chiral compound according to claim 61, in which the chiral compound is polymerized by cross-linking at least a portion of the alkenyl moieties to obtain polymer beads which essentially constitute a chiral support.
- 67. (Previously Presented) A cross-linked chiral compound according to claim 61, having the following formula:

68. (Currently Amended) A cross-linked chiral compound according to claim 63, having the following formula formula:

or

69. (Currently Amended) A cross-linked chiral compound having the following formula formula:

DOCKET NO. PET-1638-D01

where:

- a chiral unit is a monomeric, oligomeric, cyclooligomeric or polymeric chiral radical unit and wherein the unit radical optionally comprises a primary or secondary amine function or a primary, secondary or tertiary hydroxyl function or a sulphhydryl function and in which all or a portion of these functions have optionally been modified to the ester, amide, urea, carbamate, thioester or thiocarbamate wherein the chiral unit optionally has 2 or more functional groups reactable with a compound of formula I or a compound linkable to a support;
- Ar is an arylene or polyarylene optionally substituted with at least one group selected from the

DOCKET NO.: PET-1638-D01